SECURITY DATA SHEET

LISAPLEX BOND SAVER DRY SHAMPOO 250 ml

1. Identification:

DRY SHAMPOO

2. Composition:

Butane, Isobutane, Propane, Alcohol Denat., Aluminum Starch Octenylsuccinate, Isopropyl Myristate, Sclerocarya Birrea Seed Oil, Hydrolyzed Vegetable Protein PG-Propyl Silanetriol, Hydrolyzed Oats, Hydrolyzed Wheat Protein, Hydrolyzed Soy Protein, Parfum (Fragrance), Linalool, Limonene, Aqua (water/Eau).

3. Hazard identification

Extremely flammable aerosol.

Pressurized container: may explode if heated.



4. First Aid Measures

Ingestion: Wash one's mounth without swallow

Contact with one's eyes: Wash out with plenty of water

5. Fire fighting measures

Extremely flammable



6. Handling and storage

DANGER: Extremely flammable aerosol. Pressurized container: may explode if heated. Keep away from heat, hot surfaces, sparks, open flames or other ignition sources. No smoking. Do not pierce or burn even after use. Protect from sunlight. Do not expose to temperatures exceeding 50°C (122°F). Keep out of the reach of children. Do not spray on an open flame or other ignition source.

7. Protective devices

Not any.

8. Chemical-Phisical features					
1.0	Colour	/	2.0	Odour	standard perfume
3.0	Fisical State at 20°C	gas	4.0	Density (g/ml)	0,662
5.0	Viscosity	/	6.0	Boiling Point	+8°C
7.0	рН	/	8.0	Water Solubility	partial
9.0	Flash Point	<-60°C	10.0	Heat Stability	< 50°C
11.0	VOC%	91,698	12.0	VOC (gr/conf.)	140,58
13.0	° Alcoolico	5,726	14.0	Anidri - Idrati	A=19,34 I=250ml

9. Stability

Conditions to avoid: Flame, fire

10. Toxic effect

No known effect.

11. Ecological impact

No known ecotoxic effect.

12. Informations on ecological effects

None.

13. Information about transport

Road and railway transport RID/ADR Class 2 ord.

UN 1950 AEROSOL

14. Transport:			
ROAD TRANSPORT / RAIL			
UN	1950		
Class	2		
	AEROSOL		
Packing Group	-		
Labelling	2.1		
Classification	5F		
Dangerous for the environment	no		
Limited quantity	capacity ≤ 1 litro •		
SEA TRANSPORT (IMO / IMDG)			
UN	1950		
Class IMO	2.1		
	AEROSOL		
Packing Group	-		
Labelling	2.1		
EmS	F-D , S-U		
Marine Pollutant	No		
Limited quantity	capacity ≤ 1 litro		
\langle			
AIR TRANSPORT (ICAO-TI e IATA-DGR)			
UN	1950		
Class/Div	2.1		
	AEROSOL		
Packing Group	-		
Labelling	Flammable Gas		
Limited Quantity	Y203		

15. Symbol of danger

Symbol of danger: Extremely flammable aerosol.



16. Other informations

Date: June 2023

DANGER: Extremely flammable aerosol. Pressurized container: may explode if heated. Keep away from heat, hot surfaces, sparks, open flames or other ignition sources. No smoking. Do not pierce or burn even after use. Protect from sunlight. Do not expose to temperatures exceeding 50°C (122°F). Keep out of the reach of children. Do not spray on an open flame or other ignition source.